Arizona	Land	District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Charles W. Rambo, Lee	Jovanovich and Es	
		Deceased.
	KNOWN AS THE	
	PANNAMA lode	
	Warren	Mining District,
Cochise	County,	Arizona
Section 18 Unapp'd , To	wnship 23 S.	, Range 24 E. G & S R
Surveyed under instruct	ions dated May 12t	h, 1919.
	by Ralph L	• Motz
		U. S. Mineral Surveyor.
Claim located se	e location notice	
Survey commenced	d May 19th, 1919	
Survey completed	May 19th, 1919,	, 19
Address of claima	nt's attorney,	Fred Sutter. Bisbee, Arizona.
DATES	OF AMENDED LOCAT	CIONS.
6 822	No.	

MINERAL SURVEY NO. 3584. Pannama lode.

Feet.

Beginning at Cor. No. 1, the S. W. Cor., identical with location and with Cor. No. 4 Sur. No. 3364 Paris No. 2 lode, a redwood post 4 ft. long 4 ins. square set 18 inches in the ground in a mound of stones and scribed 1-3584 P, whence the 1/4 Cor. between Secs. 19 and 30, T. 23 S., R. 24 E. G & S R B & M brs. S. 0° 30' 30" W. 8209.5 ft.

thence N. 22° 50' W.

- 600.0 along line 4-3 Sur. No. 3364 Paris No. 2 lode to Cors. No. 3 and 5 of Sur. No. 3364 Paris No. 2 lode and Sur. No. 3386 Umpire lode, respectively,
- along line 5-4 Sur. No. 3386 Umpire lode to Cor. No. 2, the N. W. Cor., identical with location and with Cors. No. 1 and 4 of Sur. No. 3195 Umpire No. 1 lode and Sur. No. 3386 Umpire lode, respectively, a redwood post 4 ft. long 4 ins. square set 18 inches in the ground in a mound of stones and scribed 2-3584 P. No bearings available.

thence N. 59° 36' E.

- along line 1-4 Sur. No. 3195 Umpire No. 1 lode to north end center location, identical with location and with south end center location Sur. No. 3195 Umpire No. 1 lode, a redwood post 4 ft. long 4 ins. square set 18 inches in the ground in a mound of stones and scribed N E Ct-P-3584.
- 600.0 to Cor. No. 3, the N. E. Cor., identical with location and with Cor. No. 4 Sur. No. 3195 Umpire No. 1 lode, Cor. No. 2 Sur. No. 3385 New York lode, and the southwest corner of Madero lode unsurveyed, a redwood post A ft. long A inches square set 18 inches in the ground in a mound of stones and scribed 3-3584 P, whence a limestone ledge with 28 x 19 inch exposure chiseled B R x 3-3584 bears N. 6° 31' W. 11.6 ft., and a second limestone ledge with 23 x 31 inch exposure with like chiseling bears S. 28° 53' E. 8.0 ft., and the 1/4 Cor. between Secs. 7 and 18, T. 23 S., R. 24 E. bears N. 1° 11' W. 649.6 ft.

thence S. 22° 50° E.

1500.0 along line 2-1 Sur. No. 3385 New York lode to Cor. No. 4, the S. E. Cor., identical with location and with Cor. No.

1, Sur. No. 3385 New York lode, a redwood post 4 ft. long reet. 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3584 P, whence a limestone ledge with 11 x 12 x 10 inch high exposure chiseled B R x 4-3584 bears S. 48° 19' E. 15.1 ft., and a second limestone ledge with 36 x 11 x 4 inch high exposure with like chiseling bears N. 57° 50' E. 19.0 ft.

.abol amangs

MIN'RAL SURVEY NO. 3584.

thence S. 59° 36' W.

300.0 to original location for south end center, being a mound of stones 3 ft. high with a 3 ft base,

600.0 to Cor. No. 1, the place of the beginning.

LEDGE.

1500.0 slone line 5-A Sur o to of of of exignit o The presumed course of the vein on this claim is from the north end center S. 22° 50' E. 1500.0 ft.

AREA.

A faor hoowher a .vo Total and net area of Pannama lode - - - - - 20.481 A. LOCATION. dyens has senots

This survey is located in Sec. 18, unapproved, T. 23 S., R. 24 E. G & S R B & M in the Warren Mining District, Cochise County, Arizona. and centar leastion,

IMPROVEMENTS.

I hereby certify that the value of the labor and improvementsplaced upon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of:-

- Discovery open cut $4\frac{1}{2} \times 7 \times 9$ ft. long bearing S. 54° E., in bottom is shaft $4 \times 7 \times 2$ ft deep, the mouth of open cut bears from north end center on lode line No.1. Value \$ 50.00 620 ft.
- Open cut 7 x 15 x 16 ft. long bearing east,
 the mouth of open cut bears from Cor. No.
 2, S. 33° 39' E. 375.0 ft. Value \$175.00 No.2.
- Open cut 8 x 20 x 26 ft. long bearing east
 the mouth of open cut bears from Cor. No. 2
 S. 34° 26' E. 348.0 ft. Value \$435.00 No.3.
- Open cut 6 x 7 x 9 ft. long bearing east, the mouth of open cut bears from Cor. No. 2
 S. 35° 35' E. 327.0 ft. Value \$ 50.00 No.4.
- Open cut 4 x 10 x 11 ft. long bearing east, the mouth of open cut bears from Cor. No. 2 Value S. 36° 29' E. 301.0 ft. No.5. \$ 60.00 Total value of improvements \$770.00

coation and with lor. No.

ADJOINING CLAIMS.

North. Sur. No. 3195 Umpire No. 1 lode.

East. Sur. No. 3385 New York lode.

South. Look Out lode, unsurveyed, owned by Chas. Rambo.

West. Sur. No. 3364 Paris No. 2 lode, and Sur. No. 3386 Umpire lode.

INSTRUMENT.

This survey was made with a Gurley Light Mountain transit.

were
The distances/measured with 100 and 300 foot steel tapes.
The meridian was used as determined in Sur. Nos. 3195,
3364, 3385 and 3386. Magnetic variation 12° 30' East at
all corners.

REPORT.

The 1/4 Cor. between Secs. 19 and 30, T. 23 S., R. 24 E., is a porphyry rock $7 \times 9 \times 9$ inches high, chiseled 1/4 on the north face.

1/4 Cor. between Secs. 7 and 18, T. 23 S., R. 24 E., isan iron pipe with copper cap, properly marked. This corner is unapproved.

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

July 5th, 1919.

000000000

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Mineral Surveyor to assist in runn	d by Ralph L. Motz
de la compara de	ning, measuring, and marking the lines, corners, and
	the survey of the mining claim of
	and Estate of Jakob Schmid, deceased
	IAMA lode
and showing the respective capacities in which they	
	K. S. Adams , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS (OF ASSISTANTS.
XXX, I, K. S. Adams	
	solemnly swear that xx assisted
	eral Surveyor, in marking the corners and surveying
	W. Rambo, Lee Jovanovich and Jacob
Cohmid January	nambo, hee Jovanovich and Jacob
known as the PANNAMA loc	le
represented in the foregoing field notes as having be	een surveyed by said mineral surveyor and under his
epresented in the foregoing field notes as having be irection; and that said survey has been in all respec	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected notes as downward and correctly executed, and the corner and boundary m	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully onuments established according to law and the instruc-
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected notes are the corner and boundary makes furnished by the United States Surveyor-General	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully conuments established according to law and the instruc-
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected notes are the corner and boundary makes furnished by the United States Surveyor-General	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully onuments established according to law and the instruc-
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected correctly executed, and the corner and boundary makes furnished by the United States Surveyor-General and the corner and boundary makes for surveyor the states of the corner and boundary makes for surveyor the states of the corner and boundary makes for surveyor the states of the corner and boundary makes for surveyor the states of the corner and boundary makes for surveyor the states of the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor that the corner and boundary makes for surveyor the surveyor that the corner and boundary makes for surveyor the surveyor that the corner and survey the survey that the corner and survey the surveyor that the corner and survey the survey that the survey that the corner and survey the survey that the survey that the corner and survey the survey that the corner and survey that the surve	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully conuments established according to law and the instruc-
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected correctly executed, and the corner and boundary means furnished by the United States Surveyor-General Land	een surveyed by said mineral surveyor and under his my ts, to the best of keek knowledge and belief, faithfully conuments established according to law and the instruc- for Arizona N.S. Addams, Chainman.
epresented in the foregoing field notes as having be irection; and that said survey has been in all respected correctly executed, and the corner and boundary means furnished by the United States Surveyor-General	een surveyed by said mineral surveyor and under his my ts, to the best of the knowledge and belief, faithfully conuments established according to law and the instruc- for Arizona Chainman.
represented in the foregoing field notes as having be direction; and that said survey has been in all respected correctly executed, and the corner and boundary m ions furnished by the United States Surveyor-General	een surveyed by said mineral surveyor and under his my ts, to the best of knowledge and belief, faithfully conuments established according to law and the instruc- for Arizona N.S. Adams, Chainman. Chainman. Axman.
represented in the foregoing field notes as having be direction; and that said survey has been in all respected and correctly executed, and the corner and boundary m ions furnished by the United States Surveyor-General	een surveyed by said mineral surveyor and under his my ts, to the best of keek knowledge and belief, faithfully conuments established according to law and the instruc- for Arizona N.S. Aclana, Chainman. Chainman. Acman. Flagman. bove-named persons before me this 5th

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz,		U. S. Mi	neral Surveyor.
do solemnly swear that, in pursuance	e of instructions	received from the	United States
Surveyor General for	Arizona		dated
May 12th, 1919	, I have, in s	trict conformity to	the laws of the
United States, the official regulations			
of said Surveyor General, faithfully			
Claim of Charles W. Rambo, Le			
Schmid, deceased			
PAN			
situate in	Warren		lining District,
Cochise	County,	Arizona	, in Section
18 Unapp'd Township No. 23 S.	, Range No. 24	E. G & S R B	& M ,
and designated as Survey No.	3584	,	as represented
in the foregoing field notes, which acc	curately show the	boundaries of said	l mining claim
as distinctly marked by monuments or			
of the location certificate, which was			
said instructions, and that all the corn			
petuated in strict accordance with the			
under; and I do further solemnly swe			
field notes of said survey and my re			
improvements made upon said mining			
are as therein fully stated, and that t			
thereof are specified therein with part			
said labor or improvements so credited			
of expenditures upon any other claim.	***************************************		
	Rall	h L. M. U. S. Min	X
		U. S. Min	eral Surveyor.
Subscribed and sworn to by the sai	d Ralph L.	Motz	
U. S. Mineral Surveyor, before m	ne Charles	R. Woods, Note	ary Public
		this 5	th
day of	9 19.		
	00	01	1

6-1044

Notary Public in and for the County of Cochise. State of Aminene

Cochise, State of Arizona.

My commission expires May 23rd, 1921.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix,	Arizona
		October 2 , 1919
I, U. S. Surveyor-Ge	eneral for	Arizona
do hereby certify that th	e foregoing transcript of th	e Field Notes, return and approval of the surve
of the mining claim of	Charles W. Rambo	Lee Jovanovich and Estate of
Jakob Schmid, de	ceased,	
known as the	PANNAMA lode	
situate in	Warren	
Mining District,	Cochise	County, Arizona,
		Range No. 24 E. G&SRB&M , and
		been correctly copied from the originals on file in
		ecurate description of said mining claim as will, i
		premises, and that such reference is made therein
		perpetuate and fix the <i>locus</i> thereof.
		s' worth of labor has been expended or improve-
		or their rantors, and that said improvements
		L value \$770.
and that no portion of sa	id labor or improvements h	as been included in the estimate of expenditures
upon any other claim.		as soon mended in the estimate of expenditures
	the plat thereof filed in the	e U.S. Land Office at Phoenix.
		formity with the foregoing Field Notes.
		ormity with the foregoing Field Notes.
	(3)	Frank P. Trott.
	United States Suma	vor Concept for Arizona

6-2934

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Pho	enix, Arizona,	
	October 2 , 191	19
I, U. S. Surveyor-General for	Arizona	
do hereby certify that the foregoing an	nd hereto attached Field Notes and Return of the Survey of t	the
Mining Claim of Charles W.	Rambo, Lee Jovanovich and Estate of Ja	a.Kob
Schmid, deceased		
	, known as t	
PANNAMA	Lodes	
situate in <u>Warr</u>	en mining distric	ct,
Cochise	County, Arizona,	
	ship No. 23 S. , Range No. 24 E.	
G&SRE&M , designated as Su	rvey No3584	
executed by Ralph	L. Motz. United States Miner	al
Surveyor, May 19	, 191_9, under my instructions date	ed
May 12	, 1919., have been critically examined and the necessary co)r-
rections and explanations made, and th	e said Field Notes and Return, and the Survey they describ	e,
are hereby approved. A true copy of t	the copy of the location certificate filed by the applicant for	or
survey is included in the field notes.		
	Frank Dot rook	
6—3824	U.S. Surveyor-General for Arizona.	